



Shell

The Family



LUMENWERX

Introducing new shapes

If you are looking for fixtures that are simple, balanced, and detailed, then look no further. Remarkably versatile, our Shell family brings an architectural decorative design element to any space. All Shell fixtures are equipped optically with our very own High-Efficiency Lambertian Optic (HLO) with an optional up glow feature for wall, pendant, and surface mounting.


- 2-inch compact profile
- 3 shapes
round, square and linear
- Multiple mounting possibilities
- Optional subtle uplight glow
- 9 standard finish colors



Round



Square



Linear



WELL™

Combine **Shell family** members for a balanced space



Shell square, 16 in x 16 in recessed flush lens
Shell linear, 8 ft section, pendant and surface




Shapes & Sizes

Formerly a collection of round fixtures only, our reinvigorated Shell family now includes square and linear members, each in multiple sizes for increased creative flexibility. While round and square shaped Shell can convey powerful lighting expressions on their own, they can also act as design punctuation marks, add lines of linear Shell in comprehensive and dynamic projects.

Round


Pendant, recessed, surface, wall mounting (except 24")



Square

NEW


Pendant, recessed, surface, wall mounting



Linear

NEW

Pendant, surface mounting





Shell round, wall 8 in and 12 in

Versatility



Mounting options



Pendant



Wall



Surface



Recessed



Semi-Recessed

Color temperatures



2700K



3000K



3500K



4000K



Bios



SOLA



DUO



SOLID

Sizes

Round

8", 12" and 24"

Square:

8" x 8", 12" x 12" and 16" x 16"

Linear:

4" x 48", 4" x 96" and 4" x 144"

Color rendering options

80 CRI, 90 CRI

Indirect glow



White



Blue



Red



Green



Orange



Conventional cord
with aircraft cable



Reinforced power cable



Stem

Cable options for pendant Shell

Three cables options: stem, reinforced power cable and conventional cord with aircraft cable.

Design is in the details

For the Shell family, every detail has been taken into consideration to create a unified design, from the beautiful fixture itself to the elegant adjustable lens in the recessed model.



Shell Recessed and Semi-Recessed

Shell Recessed can be installed flush or semi-recessed with an adjustable drop lens position of 0.5" or 1.0".




Lens Detail

The thermoformed diffusing acrylic lens has a refined beveled edge. Every aspect of the Shell family was crafted with pin point detail.

Performance

The Shell family is among the best when it comes to creating an atmosphere that is, at once, inviting but not overbearing, and classic but not cliché. This exceptional visual comfort is the result of Shell's optic design. Made of thermoformed diffusing acrylic, the HLO provides excellent light source obscuration while offering an impressive 0.1 inch of shielding.



HLO with up glow

Up to

6400 lm^{*}

Up to

125 lm/W^{**}

Features

UP technology

^{*}Shell round 24 in diameter

^{**}Shell square 12 in x 12 in




Unity Pointed (UP) Technology

Once you decide upon low, medium, or high output for your Shell scheme, you will be able to appreciate a lighting design in which each luminaire, regardless of shape (round, square, linear) and size, emits identical luminous intensity values, precisely measured down to the square inch with Unity Pointed (UP) technology.

Canopy & driver options

Canopy driver box




Canopy driver box
Square or round option



Square

Flat canopy




Remote driver
with square or round flat canopy



Square

Integral driver



Integral driver
with round 24 in only
with round flat canopy



Integral driver, Shell round 24 in only



Round



Round



Shell Square, 12 in x 12 in, pendant
Shell Square, 8 in x 8 in, recessed

Mounting options



Pendant



Recessed flush or Semi-recessed




Surface



Wall

The Shell family is exceptionally versatile. Shell—round, square, and linear—can be surface and pendant. Meanwhile, for wall mounting and recessed, round and square fixtures are suitable options.




Shell Linear lens joining section
Shell linear 8' and 12' is composed
of 4' sections joined through a
rounded thermoformed lens detail.



Shell linear, 8', Surface
Shell linear, 8', Pendant






Play with colors

The Shell family features in both surface and pendant mounted fixtures an elegant up glow that comes in static white or a solid color for an added architectural dimension.


Up Glow Color Options



White Glow




Blue Glow



Red Glow



Green Glow



Orange Glow



Abundance of color

The Shell family is available in nine standard finish colors and can be featured with three static color illumination options.

Finish Options



Matte white




Aluminum




Matte black




Yellow




Green



Blue



Magenta



Red




Orange


Colored Light Options



Red solid



Blue solid



Green solid




Shell Round, Surface, 24in, white up glow
Shell Round, Pendant, 12 in

The **Shell** family is
bringing **elegance**
to your design



Shell Round

Shell Round has improved performance since its initial release, with an efficacy of up to 101 lm/W. In addition to the same great options for mounting, color rendering, Chromawerx, and solid color, Shell Round now features BIOS LED for circadian lighting designs.

| | Size | 8" | | 12" | | 24" | | Up light glow | Adjustable lens drop | Finishes |
|----------|------------------------------------|---|------------|-----------------|------------|-------------------|------------|---------------|----------------------|---|
| | Dimension | Ø: 8" | H: 2 3/32" | Ø: 12" | H: 2 3/32" | Ø: 24" | H: 2 3/32" | | | |
| | Lens Option (recessed mounting) | Flush or Adjustable drop lens 0.5", Drop 1" | | | | | | | | |
| | Lumen package | 350 to 700 lm | | 800 to 1,600 lm | | 3,200 to 6,400 lm | | | | |
| | Integral driver | | | | | ● | | | | |
| Mounting | Pendant | ● | | ● | | ● | | ● | |  |
| | Recessed | ● | | ● | | ● | | | ● | |
| | Surface | ● | | ● | | ● | | ● | | |
| | Wall | ● | | ● | | | | ● | | |



Shell Pendant, Round



Shell Surface, Round




Shell Semi-Recessed 0.5", Round



Shell Semi-Recessed 1", Round




















Shell Recessed Flush, Round



Shell Wall, Round

Shell Square

From round to square. Shell Square has all the same great features of the traditional Shell round but with an impressive performance of 124 lm/W. Available in three sizes 8"x8", 12"x12" or 16"x16", Shell Square also has a very comfortable UGR of <19 to meet the WELL building standard. Shell Square can be pendant, recessed, surface or wall mounted.


| | Size | 8" | | 12" | | 16" | | Up light glow | Adjustable lens drop | Finishes |
|----------|------------------------------------|---|------------|---|------------|---|------------|---|---|---|
| | Dimension | 8"x8" | H: 2 3/32" | 12"x12" | H: 2 3/32" | 16"x16" | H: 2 3/32" | | | |
| | Lens Option (recessed mounting) | Flush, Drop 0.5", Drop 1" | | | | | | | | |
| | Lumen package | 450 to 900 lm | | 1,000 to 2,000 lm | | 1,800 to 3,600 lm | | | | |
| Mounting | Pendant |  | |  | |  | |  | |  |
| | Recessed |  | |  | |  | | |  | |
| | Surface |  | |  | |  | |  | | |
| | Wall |  | |  | |  | |  | | |



Shell Pendant, Square




Shell Surface, Square



Shell Semi-Recessed 0.5", Square



Shell Semi-Recessed 1", Square











Shell Recessed Flush, Square



Shell Wall, Square

Shell Linear

Shell linear adds flexibility as a general lighting solution to the Shell family. Shell Linear is sharply featured in 3 sizes 4 ft, 8ft and 12ft. Shell 8ft and 12 ft are built with 4 ft lens sections joined together for long harmonious lighting effects. Shell linear can emit up to 500 lm/ft and is tastefully sleek at only 4 inches wide and 2 inches high. Shell linear comes pendant or surface mounted.


| | Size | 4' | | 8' | | 12' | | Up light glow | Finishes |
|----------|---------------|---|-------|---|-------|---|-------|---|---|
| | Dimension | 4" x 48" | H: 2" | 4" x 96" | H: 2" | 4" x 144" | H: 2" | | |
| | Lumen package | up to 500 lm/ft | | | | | | | |
| Mounting | Pendant |  | |  | |  | |  |  |
| | Surface |  | |  | | | |  | |



Shell Linear, Surface



Shell Linear, Pendant



Shell Linear, lens joining section
Shell linear 8' and 12' is composed of 4' sections joined through a rounded thermoformed lens detail.


Product companions

Lumenwerx continues to expand, offering you more lighting solutions. It is always our goal to bring you the most relevant luminaires in performance, technology and style for your design needs.


Find more at
lumenwerx.com



Ubik



Squero family



Audia



Via family



Voilà downlights



Voilà Cylinders



Cava troffer



Rim

Shell



Lumenwerx

3737 boul. de la Côte-Vertu
Saint-Laurent, QC
H4R 2C9

lumenwerx.com

T.: 514.225.4304

F.: 514.931.4862

LUMENWERX