


## Revit Family Information

### CURVIA 2 PENDANT CURVED SEGMENT



Manufacturer:	<b>LUMENWERX</b>
File Names:	<b>Lighting-Pendant-Lumenwerx-Curvia_2-Curved_Segment.rfa</b>
Family Category:	<b>Lighting Fixtures</b>
Software:	<b>Revit 2020</b>
IES:	<b>Available</b>
Host:	<b>Face *</b> * Face based (as opposed to ceiling or wall based) components can be recognized in both architectural and engineering revit project files
Pre-loaded Type** :	<b>CURV2PPAT-DI-HLO-HLO-SW-80-350-350-35-1FT-R12A45-120-BAC-B-18IN-B</b> ** Type name based on Curvia 2 Order Guide

Adjustable Parameters (Instance Parameters):

**Mounting Length** - *input preferred length*

**12" radius, 45° arc** – *select if with 12" radius*

**18" radius, 45° arc** – *select if with 18" radius*

**24" radius, 45° arc** – *select if with 24" radius*

**30" radius, 45° arc** – *select if with 30" radius*

**36" radius, 45° arc** – *select if with 36" radius*

**48" radius, 45° arc** – *select if with 48" radius*

**60" radius, 45° arc** – *select if with 60" radius*

**72" radius, 45° arc** – *select if with 72" radius\*

**Custom Radius** – *unselect all radii and arc parameters and input preferred radius*

**Custom Arc** - *unselect all radii and arc parameters and input preferred arc*

**Note:** *when using custom radius and arc, edit in the family file (.rfa), not in the project file (.rvt); load in project file after customization*

**Direct** – *select if with direct optic*

**Direct/Indirect** – *with direct/indirect optic; will automatically be selected when the Direct parameter is unselected*

**Endcap A** – *select if this is the end of the fixture; unselect if attaching to another curved/linear segment*

**Endcap B** – *select if this is the end of the fixture; unselect if attaching to another curved/linear segment*

**Materials & finishes**

**Electrical**

**Photometrics**