



Lumenwerx 

# Cylinders

VERSATILE, POWERFUL, INNOVATIVE





# Introduction



Our cylinders come from various product lines. They share design sophistication and cutting-edge technologies that make them suitable for a wide variety of applications.



## FLAIR CYLINDERS

- 2" & 3" diameter
- Decorative series
- Refined proportions
- Attention to detail
- Smooth performance
- XPoint™ refraction technology

## CELLA CYLINDERS

- 2" & 3" diameter
- 2" & 4" height
- Decorative series
- Fully or partially frosted acrylic diffusers
- Comfortable illumination
- Brings clarity and rhythm
- Accent and large-scale applications

## AERA CYLINDERS & CUBOIDS

- 2", 3", 4", 5" & 6" diameter
- Most extensive collection
- A multitude of mounting options
- Premium performance
- IP66, Aera 4" Seal
- Adjustable Aera Flex, Aera Inflex and Aera Reflex
- XPoint™ refraction technology

## VOILÀ CYLINDERS & CUBOIDS

- 2", 4" & 5" diameter
- Round & Square
- 8 beam angles
- Regressed lens option
- HyFlex™ optic

## CLUSTER CUBOIDS

- Based on 1.2" square cell
- 5 configurations
- Multiple array & trim options
- 5 louver options

## DOT, BOX, DOT CYLINDERS

- 1.5" & 2" aperture size
- Adjustable up to 90° tilt & up to 355° rotation
- CircaFlex™ technology

## PETITE CYLINDERS

- 1" diameter
- Small and powerful
- Adjustable option
- Precise lighting with even distribution
- CircaFlex™ technology



# Cylinder Collection

## Overview

COLLECTION NAME	AERA	FLAIR	CELLA	VOILÀ	DOT AND BOX	DOT CYLINDER	PETITE	CLUSTER
Aperture	2", 3", 4", 5", 6"	2", 3"	2", 3"	2", 4"	1.5" (Dot), 2"	1.5", 2"	1"	1x1, 2x2, 3x3, 1x3, 1x5
Shape	Round, Square	Round	Round	Round, Square	Round, Square	Round	Round	Square, Rectangle
Models	Asymmetric, Fixed, Flex, Inflex, Reflex, Seal, Wall Wash	Fixed	Fixed	Fixed	Adjustable	Fixed	Fixed	Fixed, Wall wash
Mounting	Pendant, Recessed, Recessed Cylinder, Surface, Wall	Pendant, Surface, Wall	Pendant, Surface	Pendant, Surface	Surface, Wall	Pendant	Pendant, Surface	Pendant, Surface
Light direction	Direct	Direct	Direct	Direct	Direct	Direct	Direct	Direct
	Direct/indirect	Direct/indirect						
UGR	As low as 1	As low as 3.8	—	As low as 8	As low as 11	As low as 11	As low as 7	As low as 7
Max lumen output	10,600 lm	2145 lm	600 lm	2078 lm	1260 lm	1260 lm	900 lm	1743 lm
Optical Technology	XPoint™	XPoint™	—	Hyflex™	CircaFlex™	CircaFlex™	CircaFlex™	CircaFlex™
	Zero spill light, clean beam of light	Zero spill light, clean beam of light		Clean beam angle, smooth field angle	Precise distribution without spill	Precise distribution without spill	Precise distribution without spill	Precise distribution without spill
Peak candela per lumen	up to 7.36 cd/lm	up to 4.09 cd/lm	—	up to 10.94 cd/lm	up to 4.87 cd/lm	up to 4.87 cd/lm	up to 6.5 cd/lm	up to 3.24 cd/lm
Beam distributions	10°, 15°, 25°, 35°, 50°, 80°, 90°, Wall wash	15°, 25°, 35°, 50°	—	10°, 20°, 30°, 40°, 50°, 60°, 75°, 90°	20°, 35°, 50°	20°, 35°, 50°	35°, 45°, 60°	15°, 25°, 30°, 35°, 45°, 55°, Wall wash
Baffle options	Bevel, Decorative bevel, Pinhole	Sleeve, Diffuser, Glow ring	Frosted or Partially Frosted Diffusers	Bevel	Bevel, Decorative bevel	Bevel, Decorative bevel	Bevel, Glow ring	Louver shape: Square, Conical, Hyperbolic, Parabolic, Wall wash
Height	4", 6", 8", 10" & 12" & Custom	6", 8" & 12" & Custom	2", 4"	4.5", 6", 9" & Custom	2.65" & 4"	6", 9", 12", 18" & Custom	6", 9", 12" & 18" & Custom	3", 8", 12" & Custom
Type of Canopy	Flat round	Flat round	Flat round	Flat round	Flat round, square	Flat round square	Flat round	Flat Square
	Conduit feed round	Conduit feed round	Conduit feed round	Conduit feed round, square	Conduit feed round, square		Conduit feed round	
	Direct mount	Direct mount	Direct mount	Direct mount	Direct mount		Flat 3" round	Conduit feed
	Deep round	Deep round	Deep round		Deep round		Deep round	Deep round
Unique Features	Flush, semi-recessed, and extended cylinder positions (Aera Reflex)	4 diffuser options for indirect optic	Frosted or Partially Frosted Diffusers	3 Baffle positions: Flush, Regressed 0.5", Regressed 1"	Tilt angle, rotation: Dot: 90° X 355° Box: 90°, 355°	Same form factor as Pivot system	1" true to size	Remote or integral driver, multiple luminaires on same driver
	Field interchangeable optics							
	IP 66 option (Aera Seal)							
	Tilt angle & rotation : Aera Flex: 90° X 355° Aera Inflex: 30° or 35° X 355° Aera Reflex: 90° X 355°	Decorative cylinders	Available as Pivot Track Modules	Field interchangeable beam smoothing lenses				
Certifications	Declare Label	Declare Label	Declare Label	Declare Label	Declare Label	Declare Label	Declare Label	Declare Label
	ENERGY STAR							
	Title 24 JA8							
	IP64 (Aera 4 Seal)							
	ETL	ETL	ETL	ETL	ETL	ETL	ETL	



Cella Collection  
Dot Cylinder Collection  
Dot, Box Collection



# Index

1/2

AERA p.10




AERA WALL WASH p.20




AERA INFLEX INTERNALLY ADJUSTABLE p.22



AERA REFLEX ADJUSTABLE RECESSED CYLINDER p.26



AERA FLEX ADJUSTABLE p.30



AERA SEAL p.36





# Index

FLAIR p.42




CELLA p.52




VOILÀ p.60




DOT p.68



BOX p.68



DOT CYLINDER p.68



PETITE p.76



CLUSTER p.82



CLUSTER WALL WASH p.88





Aera Reflex 3", Flush Position  
 Aera 4" Cylinder Bevel  
 Aera 4" Cylinder Pinhole  
 Aera 3" Cuboid Bevel



# Aera

## Cylinders & Cuboids

Aera cylinders and cuboids pack a powerful punch from their slim and elegant profiles. Not only do they emit up to 140 lm/W, but they also provide top-notch visual comfort with a UGR of <10 for all beams.



# Our most innovative optic technology

## XPoint™ Refraction

Our XPoint™ Refraction Technology is a powerful optic for creating clean, quality beams of light without spill. Its micro-optical paths direct the light emitted from the COB (Chip On Board) to intersect and disperse perfectly in a specific direction for each beam angle. The resulting illumination is precise, soft and visually comfortable.

UP TO  
140 lm/W



Low UGR <10  
in all beams

UP TO  
95+ CRI

L90 at  
150,000 hours

Field interchangeable optics

XPoint™ technology enables crisscrossing light paths to exit the fixture with zero spill light



Aera 2" Cylinder Wall  
Aera 2" Downlight Trimless  
Aera 3" Cylinder Pendant



Aera Cylinders excel in **hospitality applications** where **visual comfort** is highly desirable.



# Aera


## 2, 3, 4, 5, 6

### Cylinders

Aera 2, 3, 4, 5, and 6 cylinders deliver high-quality light with efficacy up to 140 lm/W. Our patented XPoint™ refraction optic technology allows for a quiet ceiling effect and is capable of up to 10,600 delivered lumens. Aera 5 and 6 are perfect for higher ceiling applications.

Aera 3 and 4 cuboids deliver the same performance as their cylindrical counterparts in a sleek rectangular form.

Aera pendant and wall models can be equipped with indirect options.



Aera 2 cylinder, pendant, direct/indirect

#### TRUE TO SIZE DIAMETERS\*

2", 3"

4", 5"

6"

Bevel, Decorative  
Bevel, Pinhole

Fixed  
Wall Wash  
Asymmetric

\*Aera Cuboid available in 3" and 4" sizes only.

#### MOUNTING

Surface, Pendant,  
and Wall

#### UP TO

10,600 delivered  
lumens  
& 140 lm/W

#### CERTIFICATIONS

Declare Label  
Energy Star  
IP44 Shower Rated  
California JA  
Title 24 Compliant



Declare

Aera 2", 3", 4", 5", and 6"  
Cylinder Pendant



# When the Architecture Demands More.

The **Aera 6" Cylinder** is engineered for high-ceiling and large-volume spaces, delivering exceptional optical efficiency, precise beam control, and high-quality illumination at scale.

As the most powerful fixture in the Aera collection, it provides up to **10,600 delivered lumens** with efficacy reaching **140 lm/W**.

↑ Gates D32-49

Featured Product  
Aera 6" Cylinder, Surface



# Aera Cylinder

Wall Wash

Aera Cylinder Wall Wash models deliver powerful, efficient lighting solutions. Available in multiple sizes and outputs.

UP TO  
Uniformity\*  
3.42:1

HEIGHTS  
4", 6", 8", 12"  
+ custom

MOUNTING  
Surface  
Pendant

\*Aera 3" Cylinder wall wash, surface, 36" spacing, 24" set-back, 9' wall height.



Aera 3" Cuboid, wall wash, pendant  
Aera 4" Cylinder, wall wash, surface



Internal Adjustability



# Aera 2, 3, 4 Inflex

## Adjustable Cylinder

The Aera 2, 3 and 4 Inflex Cylinders feature adjustable optics that can tilt 30 degrees (for Aera 2 Inflex) or 35 degrees and rotate 355 degrees, all while their cylindrical housings stay in their fixed position. Mountable as pendant or surface fixtures, they can serve to emphasize certain features of a space or add visual interest.

### ADJUSTABILITY

Up to 35° x 355°

### DIAMETERS

2", 3", 4"

### MOUNTING


Surface  
Pendant

### HEIGHTS

4", 6", 8", 12" \*

XPoint™ Refraction  
Technology

\*4" and 6" heights available with Aera 2" Inflex only.






The **Aera Inflex 2"** delivers precise aiming through an **internally adjustable optical system**. The adjustability is visually concealed, allowing the luminaire to retain a quiet ceiling presence.

Aera 2" Inflex, Pendant



# Aera 2, 3 Reflex

## Adjustable Recessed Cylinder



Aera Reflex pairs Aera optical sophistication with a precision-engineered articulated design to deliver high performance and flexibility in one system. Designed to adapt, it transitions smoothly across positions, from flush or semi-recessed integration to a fully extended cylinder. The system supports 90° tilt and 355° rotation, with tool-free adjustment from below the ceiling and secure locking for precise positioning.

### CYLINDER DIAMETERS

2", 3"

### CYLINDER POSITIONS

Flush, Semi-Recessed,  
and Extended

### ADJUSTABILITY

90° Tilt  
355° Rotation

### INSTALLATION FLEXIBILITY

New construction  
IC / Non-IC

### BEAM ANGLES

10° - 90°

### BAFFLE OPTIONS

Bevel  
Pinhole  
Decorative Bevel

### VISUAL COMFORT

Low  
UGR <10

### MOUNTING

Recessed





Featured Product  
Aera 3" Reflex Cylinder



Aera Reflex brings **downlight and cylinder together** in a single adaptable form.



Aera 3" Cuboid, wall wash, pendant  
Aera 4" Cylinder, wall wash, surface



# Aera 3 Flex

## Adjustable Cylinder

The Aera 3 Flex Cylinder is adjustable, tilting upwards to 90 degrees and rotating 355 degrees. Mountable as a recessed, surface, pendant, or wall fixture, it brings to the Aera collection added flexibility and more options to customize lighting effects.

### 3" diameter

HEIGHTS

4.5", 6"

UP TO

90° X 355°

MOUNTING

Recessed, Surface,  
Pendant, Wall

Direct

Bevel, Pinhole,  
Decorative Bevel

XPoint™ Refraction  
Technology

Left: Aera Flex 3" Cylinder Pendant  
Center: Aera 3" Downlight  
Right: Aera Inflex 3" Cylinder Surface



Light-layering with Aera, Aera Flex and Aera Inflex luminaires.



# Aera 3 Flex

## Recessed Adjustable Cylinder

The Aera 3 Flex Recessed Cylinder features two trim options: the Flanged Trim and the Trimless Drywall Mudplate.

Aera 3 Flex Luminaire housing for new construction installations is made of a 20 gauge powder-coated steel open frame structure with an 18 gauge galvanized steel junction box. Mounting options include adjustable hanger bars, commercial bars, adjustable hat channel bars, and flush-mounted brackets.

Additionally, multiple hanger bars are available for different ceiling types, while recessed, direct mounting options offer adjustable and static mounting bars suitable for both commercial and residential applications.





Aera 4" Seal Cylinder



# Aera 4 Seal Cylinder

With its IP66 rating, the Aera Seal Cylinder takes the Aera collection's clean aesthetic and performance assets to wet locations and outdoor environments. The Aera 4" Seal Cylinder delivers lighting that's visually comfortable with minimal glare.

## IP66 rating

DIAMETER

4"

Direct/Indirect  
Option

## UGR of <10

MOUNTING

Surface  
Pendant  
Wall

Aera 4" seal Cylinder surface and wall



Hôtel Le Jardin

Aera 4" Seal Cylinders  
**illuminate** major outdoor areas  
of **activity** and **circulation**.

























# Overview

## Aera Collection


<b>SHAPES</b>	<b>COLOR RENDERING OPTIONS</b>	<b>APERTURE SIZE</b>	<b>HEIGHTS</b>
<ul style="list-style-type: none"> <li><input type="radio"/> Round</li> <li><input type="checkbox"/> Square</li> </ul>	80+, 90+, 95+	<b>AERA</b> 2", 3", 4", 5", 6" <b>AERA FLEX</b> 3" <b>AERA REFLEX</b> 2", 3"	<b>AERA INFLEX</b> 2", 3", 4" <b>AERA SEAL</b> 4" <b>AERA</b> 4", 6", 8", 12" + custom <b>AERA FLEX</b> 4.5", 6" <b>AERA INFLEX</b> 4", 6", 8", 12" + custom <b>AERA SEAL</b> 6", 8", 12" + custom

<b>COLOR TEMPERATURES</b>	<b>MOUNTING OPTIONS</b>
<ul style="list-style-type: none"> <li><input type="radio"/> 2400K</li> <li><input type="radio"/> 2700K</li> <li><input type="radio"/> 3000K</li> <li><input type="radio"/> 3500K</li> <li><input type="radio"/> 4000K</li> </ul>	<ul style="list-style-type: none"> <li><input type="radio"/> 5000K</li> <li><input type="radio"/> Sola</li> <li><input type="radio"/> Duo</li> <li><input type="radio"/> Full Spectrum LED</li> </ul>

<b>AERA &amp; AERA SEAL</b>  Pendant  Surface  Wall	<b>AERA FLEX</b>  Pendant  Surface  Recessed  Wall	<b>AERA INFLEX</b>  Pendant  Surface  <b>AERA REFLEX</b>  Adjustable Recessed
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<b>BEAM ANGLES</b>	<b>DISTRIBUTIONS</b>	<b>FINISHES</b>
 10°  15°  25°  35°  50°  80°  90°	<b>AERA &amp; AERA SEAL</b>  Direct  Direct/Indirect  Wall Wash  Asymmetric  <b>AERA FLEX, REFLEX &amp; INFLEX</b>  Direct	<ul style="list-style-type: none"> <li><input type="radio"/> Matte Black</li> <li><input type="radio"/> Matte White</li> <li><input type="radio"/> Champagne</li> <li><input type="radio"/> Dark Bronze</li> <li><input type="radio"/> Wood</li> <li><input type="radio"/> Custom RAL</li> <li><input type="radio"/> Antimicrobial Silverwerx</li> </ul>

<b>RATINGS &amp; CERTIFICATIONS</b>			
<b>5</b> 5-year Warranty	<b>D</b> Declare Label	<b>CP</b> Chicago Plenum	<b>L</b> Dry, Damp, Wet Locations
<b>E</b> Energy Star	<b>J8</b> JA8 Title 24	<b>IC</b> IC-Rated Option	





# Flair

## Decorative Cylinders

The Flair Cylinder collection of decorative luminaires consists of the Flair Sleeve, Flair Diffuser, and Flair Glow Ring.



3" Flair, Fully Frosted 3/4" Diffuser - Direct/Indirect Pendant  
 3" Flair, Partially Frosted 3/4" Diffuser - Direct/Indirect Wall



# Flair

## Cylinder Collection

The Flair collection includes three models that enrich spaces with quality illumination and a clean modernist aesthetic. While the Flair Sleeve celebrates the essential geometric form of the cylinder, the Flair Diffuser sports a translucent cover on one or both ends for a tailored, sophisticated finish. The Flair Glow Ring Cylinder gives a slightly more streamlined look with its sleek glow ring detail.

### DIAMETERS

2" Flair Diffuser

3" Flair Diffuser, Sleeve  
and Glow Ring

### HEIGHTS

6", 8", 12" + custom

### MOUNTING

Surface  
Pendant  
Wall

XPoint™ Refraction  
Technology



Left: Flair Diffuser 3" Direct/Indirect Pendant  
 Center: Aera 3" Downlight Trimless and Arq Flair Pendant  
 Right: Flair Sleeve 3" Surface and Aera Flex Recessed



Define spaces and accentuate usage with cylinder fixtures and downlights.



# Direct Distribution Options



## FLAIR SLEEVE

- options:
- Flush sleeve
  - 1/4" sleeve



## FLAIR DIFFUSER

- 3 options:
- Fully frosted 1/4" diffuser
  - Fully frosted 3/4" diffuser
  - Partially frosted 3/4" diffuser



## FLAIR GLOW RING

- 3/4" Glow Ring





# Overview

## Flair

### SHAPES

Round

### COLOR RENDERING OPTIONS

80+, 90+, 95+

### HEIGHTS

6", 8", 12" + custom

### COLOR TEMPERATURES

2700K

3000K

3500K

4000K


Sola

Duo

Full

Spectrum LED


### DISTRIBUTIONS



Direct

Direct/  
Indirect

### MOUNTING OPTIONS



Pendant

Surface

Wall

### APERTURE SIZES

2", 3"


### TRIM FINISHES

Textured Matte Black

Textured Matte White

Custom RAL

### BEAM ANGLES (SLEEVE + GLOW RING)



### OPTICAL OPTIONS

Flair Sleeve: Brass, copper, black, white and custom

Flair Diffuser: Fully frosted and partially frosted

Flair Glow Ring





# Cella

Architectural Decorative Cylinders

Cella offers a choice of heights, diameters, and diffusers to suit your needs for both accent applications and large-scale installations.



# Cella

## Architectural Decorative Cylinders

The Cella collection brings clarity and rhythm to spaces through its cylindrical vertical form. Available in 2" and 3" diameters, the slender fixtures are paired with an acrylic diffuser offered in 2" and 4" heights, with fully or partially frosted finishes. Cella luminaires are suited to both accent applications and large-scale installations.

### DIAMETERS

2"  
3"

### MOUNTINGS

Pendant  
Surface

### DIFFUSERS

Frosted or  
Partially Frosted



Featured Product  
Cella 3" Diameter, 2" Height, Frosted, Surface Mount





Cella 3" Diameter, 2' Height,  
Partially Frosted, Pendant Mount



**Cella** reinforcing spatial organization while enhancing verticality.



# Overview

## Cella

## SHAPES

Round

## APERTURE SIZES

2", 3"

## HEIGHTS

2", 4"

## COLOR TEMPERATURES

1800K

2200K

2700K

3000K

3500K


4000K

5000K

 Sola


 Duo

## DISTRIBUTIONS



Direct

## MOUNTING OPTIONS



Pendant    Surface

## COLOR RENDERING OPTIONS

80+, 90+

## CYLINDER FINISHES

Matte Black

Matte White

Champagne

Dark Bronze

Custom RAL

## DIFFUSER TYPE


Fully Frosted

Partially Frosted



Cella 3" Diameter, 2" Height,  
Partially Frosted, Pendant Mount





Voilà 4" Cylinder and Voilà 4" Cuboid



# Voilà

Cylinders & Cuboids

Voilà Cylinders and Cuboids are designed with the same winning formula used for Voilà downlights, where precision craftsmanship and impeccable optics are combined to create a highly coveted series.



Voilà 2" and 4" Cylinder  
Voilà 4" Cuboid



# Voilà 2, 4

## Cylinders

Voilà cylinders offer many possibilities as powerful luminaires and as elements of design in their own right bringing a diversity of light and interest to interior spaces.

2", 4"

### HEIGHTS

4.5", 6", 9"

128 lm/W


### MOUNTING

Surface, Pendant

8

beam angles

HyFlex™ Optic  
Technology

















Voilà Cylinders serve as **focal points** and **task lighting** for a reception area.



# Overview

## Voilà

SHAPES	COLOR RENDERING OPTIONS	HEIGHTS
<ul style="list-style-type: none"> <li>○ Round</li> <li>□ Square</li> </ul>	80+, 90+, 95+	4.5", 6" and 9"
COLOR TEMPERATURES	DISTRIBUTIONS	TRIM FINISHES
<ul style="list-style-type: none"> <li>● 2700K</li> <li>● 3000K</li> <li>● 3500K</li> <li>● 4000K</li> </ul>	<ul style="list-style-type: none"> <li>☀ Sola</li> <li>☀ Duo</li> </ul>  <p>Direct</p>	<ul style="list-style-type: none"> <li>● Textured Matte Black</li> <li>○ Textured Matte White</li> <li>● Custom RAL</li> </ul>
APERTURE SIZES	MOUNTING OPTIONS	BEAM ANGLES
<ul style="list-style-type: none"> <li>Round 2" and 4"</li> <li>Square 4"</li> </ul>	  <p>Pendant Surface</p>	 10°  50°  20°  60°  30°  75°  40°  90°
BAFFLE POSITIONS		
  		
<ul style="list-style-type: none"> <li>Flush 4.5", 6" &amp; 9"</li> <li>Regressed 1/2" 6" &amp; 9" only</li> <li>Regressed 1" 9" only</li> </ul>		





Dot,  
Box,  
Dot Cylinder



# Dot, Box, Dot Cylinder

The Dot, Box, and Dot Cylinder can be surface mounted on ceilings or walls, and are equipped with flat, conduit feed, or direct mount canopies, which can be round or square.

2 SIZES

1.5" and 2"

MOUNTING

Pendant, Surface

2 baffle  
options



20°



35°



50°

CircaFlex™  
technology

UP TO

1500 lm






# Precise, Even Distribution

## CircaFlex™ Technology

Our CircaFlex™ optic technology enables low glare, soft beam angles, and precise distribution with no spill.



Our proprietary CircaFlex™ Optic uses advanced TIR beam control technology to allow light to follow an intended optical path.

UP TO  
1260 lm



UP TO  
95+ CRI


L90 at  
150,000 hours



# Overview

## Dot, Box, Dot Cylinder

SHAPES		COLOR RENDERING OPTIONS	HEIGHTS	
<b>DOT, DOT CYLINDER</b>	<b>BOX</b>	80+, 90+, 95+	Dot, Box	2.65", 4"
<input type="radio"/> Round	<input type="checkbox"/> Square		Dot Cylinder	6", 9", 12", 18"
COLOR TEMPERATURES		DISTRIBUTIONS	BAFFLE	
<input type="radio"/> 2700K <input type="radio"/> 3000K <input type="radio"/> 3500K <input type="radio"/> 4000K	<input checked="" type="radio"/> Full Spectrum LED	 Direct	<input type="checkbox"/> Standard <input type="checkbox"/> Decorative	
APERTURE SIZES		TRIM FINISHES	BEAM ANGLES	
1.5", 2"		<input checked="" type="radio"/> Textured Matte Black <input type="radio"/> Textured Matte White <input type="radio"/> Custom RAL	 20° 35° 50°	
MOUNTING OPTIONS				
<b>DOT, BOX</b>		<b>DOT CYLINDER</b>		
<input checked="" type="checkbox"/> Surface <input checked="" type="checkbox"/> Wall		<input checked="" type="checkbox"/> Pendant		





# Petite

Cylinder

From a product line whose smallness is its strength, the Petite Cylinder luminaire stands tall with features that elevate spaces with exceptional precision and quality.



# Petite Cylinder

The Petite Cylinder combines style and performance. With 900 lumens delivered, the luminaire is available with multiple options to customize your lighting design, from various beam angles to a range of finishes that can seamlessly blend into your décor while providing the lighting you need.

UP TO

900 lm

1" aperture

MOUNTING

Pendant  
Surface



35°




45°



60°

CircaFlex™  
Technology





# Overview

## Petite

### SHAPES

Round

### COLOR RENDERING OPTIONS

80+, 90+, 95+

### HEIGHTS

6", 9", 12", 18" + custom

### COLOR TEMPERATURES

2700K

3000K


3500K

4000K

Sola

Duo

### DISTRIBUTIONS



Direct

### BEAM ANGLES



35°



45°



60°

### APERTURE SIZE

1"

### HOUSING FINISHES

Textured Matte Black

Textured Matte White

Champagne

Custom RAL

### BAFFLE FINISHES

Textured Matte Black

Textured Matte White


Specular

Semi-specular

Champagne

Custom RAL

### MOUNTING OPTIONS




Pendant

Surface

### TRIM STYLES

Bevel, Glow Ring





# Cluster

Cuboids



# Cluster

## Cuboids

Cluster cuboids represent the most extensive range of rectangular options in our cylinder offering. Based on a fundamental 1.2" square cell, Cluster cuboids have a modular, building block look and are mounted as recessed, surface, and pendant fixtures.

### 5 CONFIGURATIONS

1x1, 2x2, 3x3, 1x3, 1x5

### EFFICACY OVER

102 lm/W

Nominal light output:  
200 lumens per cell

### 3 HEIGHTS

3", 8" or 12"  
+ custom

Suspended Using  
Stems

Remote or integral driver capable of  
powering multiple luminaires



Left to Right:  
Cluster Cuboid 2x2 Square Louver  
Cluster Cuboid 2x2 Hyperbolic Louver  
Cluster Cuboid 3x3 Conical Louver

Cluster Surface 2x2  
Cluster Recessed 1x3  
Cluster Pendant 3x3





# Cluster

## Wall Wash

Cluster Wall Wash pendants provide uniform illumination up and down walls and between luminaires thanks to their Wall Wash Reflector Optics (WRO), which utilize multiple mid-flux emitters arranged in a continuous array and supported by an angled board. An aluminum reflector collects and redirects the emitter flux while a refractive film adjusts the vertical and horizontal intensity, eliminating source image.

### 2 CONFIGURATIONS

1x3, 1x5

### HEIGHTS

3", 8", 12"

Integral or remote driver

### PERFORMANCE 3-CELL

400 lumens

### PERFORMANCE 5-CELL

800 lumens





# Overview

## Cluster

**SHAPES** **COLOR RENDERING OPTION** **HEIGHTS**

Square 90+ 3", 8" and 12"

**COLOR TEMPERATURES** **OPTICS** **LOUVER SHAPES**

● 2700K
● 5000K  
● 3000K
● Sola  
● 3500K
● Duo  
● 4000K

Parabolic, Soft Edge,  
Sharp Edge, Wall Wash

Square
 Hyperbolic  
 Parabolic
 Wall Wash

**MOUNTING OPTIONS** **CONFIGURATIONS** **BEAM ANGLES**

Pendant
 Surface


1x1
 1x3
 1x5  
 2x2
 3x3

**SOFT EDGE**
**SHARP EDGE**

25°
 15°  
 35°
 30°  
 55°
 45°

**TRIM FINISHES** **LOUVER FINISHES**

● Textured Matte Black
○ Matte White
● Matte Parabolic  
○ Textured Matte White
● Matte Black
○ Specular Parabolic  
● Custom RAL
● Black Chrome



Cluster Pendant 2x2 and 1x5 configuration  
Fisher & Paykel Experience Centre,  
Toronto, Ontario, Canada



CYLINDERS  
BROCHURE

 Lumenwerx

ALWAYS LIGHT  
RIGHT

[lumenwerx.com](https://lumenwerx.com)  
R.06.2026