

Lumenwerx 



Cue Collection



CONTROLLED PRECISION IN PINHOLE DOWNLIGHTING



Cue Collection

CONTROLLED PRECISION IN PINHOLE DOWNLIGHTING

Introducing Cue, a pinhole downlight collection delivering precise, low-glare illumination through 0.5", 1", or 1.5" apertures. Featuring below-ceiling tilt and rotation adjustability, Cue fixtures enable accurate aiming and effortless on-site refinement. Designed as a cohesive system, Cue supports a quiet ceiling and the intentional articulation of space through light.

APERTURES

0.5"
1"
1.5"

EXTREMELY LOW GLARE
DOWN TO
UGR 5

TRUE ADJUSTABILITY

30° Tilt
360° Rotation


Dim-to-Warm
& Tunable White
Options

BEAM INTENSITY UP TO

30 cd/lm

INSTALLATION TYPE

New Construction
Remodel
IC-rated / Non-IC-rated
Chicago Plenum (CCEA)
Airtight



0.5"



1"



1.5"



Featured Product
Cue 1.5" aperture, Mud-in trim,
Matte Black finish

On Cue. By Design.

Cue guides the focus with controlled illumination on what matters in your design.




Precise Aimability

From narrow 10° beams for focused object emphasis to wider 50° distributions for broader coverage, Cue offers a calibrated range of optics within one coherent system.

Each luminaire size features a lockable 30° tilt and full 360° rotation, adjustable below the ceiling plane, enabling deliberate and controlled beam placement.

FROM FOCUSED ACCENTS TO BROADER COVERAGE



PRECISION ENGINEERED




Adjustable light module with 30° tilt and infinite rotation.



Integrated gear system ensures stable, incremental beam adjustment.



Integrated tilt indicator for quick, precise aiming.




Lockable mechanism maintains precise beam alignment once set.



Designed with Intention

Cue reduces the visible presence of the luminaire to a refined opening of light. Trim options are field-paintable, allowing seamless integration into the ceiling plane. Optical accessories enhance beam definition and glare control, while every detail is designed to preserve architectural clarity.



Featured Product
Cue 1.5" aperture, Flanged trim,
Matte Black and Champagne finishes




No light leakage in the ceiling

Field-interchangeable Distributions

MAINTENANCE Easy, Below-Ceiling Access and Serviceability

TRIM DETAILS




Flanged Trim or Flush Flanged Trim.



Mud-In Trim Option Shown with Protective Insert.



Field-paintable Trim with Protective Insert.



Magnetic Trim Design.

OPTICAL ACCESSORIES

Hex Louver

Soft diffused lens, Solite

DESIGN DETAILS



Light seal preventing leakage at the ceiling plane (Cue 1.5).



Cable guard preventing cord interference during aiming adjustment.



Minimal Presence

With small apertures and a range of trim finish options, Cue luminaires integrate discreetly into the ceiling plane, keeping focus on illuminated surfaces, spatial intent, and precise accenting.



Featured Product
Cue 1" aperture, Flush Flanged trim, Drywall Mudplate, Primer and Dark Bronze finishes




APPLICATIONS

Retail Hospitality Residential Museums & Galleries Corporate



Featured Product
Cue 1.5" aperture, Flush flanged trim millwork
Matte White finish



Cue 0.5" aperture

Cue delivers precise, low-glare illumination through compact apertures and controlled optics. Cue luminaires support retail, hospitality, residential, gallery, and other lighting applications that require minimal ceiling presence, careful accenting and spatial definition.

DIM TO WARM & TUNABLE WHITE OPTIONS

Dim-to-Warm and Tunable White extend Cue's flexibility, enabling precise control of intensity and color temperature across changing lighting needs.



Cue 1" aperture

Dim to Warm



3000K 1800K 2700K

Tunable White



1800K 6500K 2700K 5000K 2700K



CUE COLLECTION
BROCHURE



CUE COLLECTION
ONLINE

 **Lumenwerx**

ALWAYS LIGHT
RIGHT

lumenwerx.com
R.03.2026