

Pop

Recessed Regressed



LUMENWERX


Pop Recessed

Regressed

Pop Recessed Regressed is an extension of Lumenwerx's Pop family with some added features. These luminaires can shine as a standalone family or be part of a playful light composition amid other Pop fixtures. They come in square, rectangular, and round shapes, ranging in size, from 6" x 6" to those with a 48" diameter. All family members feature Unity Pointed (UP) technology allowing for lens brightness uniformity across all shapes and sizes within the same lumen output. With so many choices, the creative possibilities are endless.

- Up to 116 lm/W
- 2-inch regressed lens
- Uniform lens brightness across family (UP technology)
- 14 sizes available

-
- Pop Recessed Regressed family meets the WELL building standard for UGR of <19 in all available lumen packages
 - PoE and BIOS technology available





Pop Recessed Regressed, Square
Pop Recessed Regressed, Rectangular




Mount
Pop Recessed
Regressed side
by side to create
visual interest.


Sizes and Shapes

With three shapes and 14 sizes, Pop Recessed Regressed offers stylish geometric forms with excellent lighting performance to accentuate a wide range of architectural spaces, from offices to retail, health care, and hospitality establishments. For a fresh indoor environment, the Pop Recessed Regressed family, with its clean lines and bright tones, is a fitting solution.


Round



Square



Rectangular





Pop Recessed Regressed, Square, 2' x 2'

Performance

This luminaire family can address different ceiling heights with solutions ranging from 220 lumens in a 6" x 6" fixture to 18 000 lumens in a 4' x 4' option.

Delivering up to an impressive 116 lm/W, the Uniform Lambertian Optic (ULO) was crafted carefully with a 0.125" diffuser, which is rigid enough to maintain its form in larger sizes.

Up to

18 000 lm

Up to

116 lm/W

Unity Pointed (UP) Technology

For our entire Pop family, including Pop Recessed, Regressed, once you decide upon low, medium, or high output, each luminaire, regardless of shape and size, will emit identical luminous intensity values, precisely measurable down to the square inch with Unity Pointed (UP) technology.



Versatility

Distribution

Direct Regressed

Color temperature



2700K



3000K



3500K



4000K

bios

Bios



SOLA



DUO



QUADRO

Color rendering option

80+

90+ (R9>50)

Size

Square:

6" x 6", 1' x 1', 2' x 2' and 4' x 4'

Rectangular:

6" x 2', 6" x 4', 1' x 2', 2' x 4',
and 20" x 60"

Round:

12", 24", 36", 48"

Optic direct

ULO (Uniform Lambertian Optic)

Mounting

Drywall, Drywall trimless, Mud flange,
T-Bar, Tegular, Chicago Plenum



Pop Recessed Regressed, Round, 36"
Pop Recessed Regressed, Round, 24"

Pop Family Overview

Pop Recessed Regressed is an addition to our already extended Pop family.

Pop Core, Pop Color, and Pop Recessed are among our most successful and comprehensive product lines. Pop luminaires are offered in square and round shapes, and can support Static White, Bios LED, and Chromawerx; Sola, Duo, and Quadro technologies.

All Pop lines are control agnostic and can operate successfully over many systems including: 0-10V, ELV, DALI, Lutron and DMX, and PoE.

The ever-growing Pop family of luminaires can inspire a wealth of lighting ideas, offering architectural spaces a special pop that makes a world of difference.



Pop Recessed, Round



Pop Color, Square



Pop Core, Round



Pop Recessed Recessed, Square

Get creative with **Pop family** members



Pop Core Square, 2'x2', Surface with 5" optics
Pop Recessed Regressed, Square, 2'x2'




Pop Core

Pop Core offers pendant, surface, and wall mount options, in direct and indirect distributions. For Pop Core Round, there are 20 different distribution configurations available, while Pop Core Square has 14. See our website for the full product offering.


Shape	Size	Lens Height Option		Distribution	Mounting
Round	12"	3.5"	-	Direct	Pendant, surface
	24"		5"	Direct, Direct/Indirect	
	36"		5"		
	48"		-		
Square	12" x 12"	2.5"	-	Direct	Pendant, surface
	24" x 24"		5"	Direct, Direct/Indirect	
	48" x 48"		-		




Round Pendant 12" 3H




Round Wall 12" 3H




Square Surface 12" 2H




Round Surface 24" 3H



Square Pendant 24" 5H




Round Wall 24" 5H



Square Surface 24" 2H




Round Surface 36" 5H



Square Pendant 48" 2H



Round Pendant 48" 3H




Square Surface 48" 2H

Find more at
lumenwerx.com

Pop Color

Pop Color is a robust lighting solution offered in pendant and surface mount options, and in direct and indirect distributions. Pop Color also comes in a variety of sizes and configurations. For Pop Color Round, there are 32 different direct distribution configurations and 26 direct/indirect variations. Pop Color Square comes in 18 direct distribution configurations and 12 direct/indirect variations. See our website for the full product offering.



Square Surface 12" 2D




Round Pendant 12" Flush

Shape	Colors	Size	Lens Option				Distribution	Mounting	
Round		12"	Flush	Drop 1"	Drop 2"	-	-	Direct	Pendant, surface
		24"				Drop 3"	Drop 4"	Direct, Direct/Indirect	
		36"		-	-	-	-		
		48"		-	-	-	-		
Square		12" x 12"	Flush	Drop 1"	Drop 2"	-	-	Direct	Pendant, surface
		24" x 24"				Drop 3"	Drop 4"	Direct, Direct/Indirect	
		48" x 48"		-	-	-	-		



Round Pendant 12" 1D




Square Surface 12" Flush




Round Surface 24" 4D



Round Pendant 24" 3D



Square Pendant 24" 2D



Square Surface 24" 4D




Round Surface 36" 1D



Round Pendant 36" 2D



Round Surface 36" 3D



Round Pendant 48" Flush



Square Surface 48" Flush

Find more at
lumenwerx.com

Pop Recessed

Pop Recessed is available with direct distribution for recessed mounting and is suitable for drywall and grid installation. Pop Recessed Round comes in four sizes, while Pop Recessed Square is available in nine variations. See our website for the full product offering.

Shape	Size	Lens Option				Distribution	Mounting
Round	12"	Flush				Direct	Grid & Drywall
	24"						
	36"						
	48"						Drywall only
Square	12" x 12"	Flush	Drop 1"	Drop 2"	-	-	Grid & Drywall
	24" x 24"				Drop 3"	Drop 4"	
	48" x 48"		-	-	-	-	Grid only



Recessed Round 12" Flush



Recessed Square 12" Flush



Recessed Square 12" 1D



Recessed Round 24" Flush



Recessed Square 24" 1D




Recessed Square 24" 3D




Recessed Square 24" 4D




Recessed Round 36" Flush



Recessed Round 48" Drywall flush



Recessed Square 48" Flush





Recessed Square 48" 2D

Find more at
lumenwerx.com

Pop

Lumenwerx
3737 boul. de la Côte-Vertu
Saint-Laurent, QC
H4R 2C9

lumenwerx.com
T.: 514.225.4304
F.: 514.931.4862



LUMENWERX